




3032-00-[COLOR]-[HEIGHT]






SECTION A-A
SCALE .17

Order Guide			
SKU	COLOR	PANTONE	POLE HEIGHT (IN., MM)
3032-00-WH-XX	WHITE	663C	"XX" - 14" [256] ***
3032-00-LTGY-XX	LIGHT GRAY	402C	"XX" - 14" [256] ***
3032-00-GY-XX	GRAY	11C	"XX" - 14" [256] ***
3032-00-BK-XX	BLACK	6C	"XX" - 14" [256] ***
3032-00-BN-XX	BROWN	440C	"XX" - 14" [256] ***
3032-00-URBZ-XX	BRONZE	2336	"XX" - 14" [256] ***
3032-00-RD-XX	RED	187C	"XX" - 14" [256] ***
3032-00-OR-XX	ORANGE	173C	"XX" - 14" [256] ***
3032-00-YL-XX	YELLOW	012C	"XX" - 14" [256] ***
3032-00-FGN-XX	FOREST GREEN	343C	"XX" - 14" [256] ***
3032-00-LTBL-XX	LIGHT BLUE	285C	"XX" - 14" [256] ***
3032-00-BL-XX	BLUE	2736C	"XX" - 14" [256] ***
3032-00-DKGNT-XX	DARK GRANITE	*	"XX" - 14" [256] ***
3032-00-LTGNT-XX	LIGHT GRANITE	*	"XX" - 14" [256] ***
3032-00-CC-XX	CUSTOM COLOR	**	"XX" - 14" [256] ***

AVAILABLE IN CUSTOM COLORS AND CUSTOM HEIGHTS
 * - Blend of multiple colors
 ** - Minimum purchase requirements may apply
 *** - "XX" equals specified bollard height, pole height equals "XX" minus 14"

DRAWN	6/2/2020	Oberon, Inc. - 1315 S. Allen St. - State College, PA 16801		
CHECKED	6/2/2020	TITLE		
RLC	6/2/2020	3032 Series		
QA				
MFG	6/2/2020	SIZE	DWG NO	REV
RLC	6/2/2020	C	ANY	5
APPROVED	6/2/2020	SCALE	SHEET 1 OF 3	
RLC	6/2/2020			
TOLERANCE:	.0 = +/- .030			
	.00 = +/- .015			
	.000 = +/- .005			

3032-LH-[COLOR]-[HEIGHT]



SECTION B-B
SCALE .17: 1


Order Guide			
SKU	COLOR	PANTONE	POLE HEIGHT (IN., MM)
3032-LH-WH-XX	WHITE	663C	"XX" - 14" [256] ***
3032-LH-LTGY-XX	LIGHT GRAY	402C	"XX" - 14" [256] ***
3032-LH-GY-XX	GRAY	11C	"XX" - 14" [256] ***
3032-LH-BK-XX	BLACK	6C	"XX" - 14" [256] ***
3032-LH-BN-XX	BROWN	440C	"XX" - 14" [256] ***
3032-LH-URBZ-XX	BRONZE	2336	"XX" - 14" [256] ***
3032-LH-RD-XX	RED	187C	"XX" - 14" [256] ***
3032-LH-OR-XX	ORANGE	173C	"XX" - 14" [256] ***
3032-LH-YL-XX	YELLOW	012C	"XX" - 14" [256] ***
3032-LH-FGN-XX	FOREST GREEN	343C	"XX" - 14" [256] ***
3032-LH-LTBL-XX	LIGHT BLUE	285C	"XX" - 14" [256] ***
3032-LH-BL-XX	BLUE	2736C	"XX" - 14" [256] ***
3032-LH-DKGNT-XX	DARK GRANITE	*	"XX" - 14" [256] ***
3032-LH-LTGNT-XX	LIGHT GRANITE	*	"XX" - 14" [256] ***
3032-LH-CC-XX	CUSTOM COLOR	**	"XX" - 14" [256] ***

AVAILABLE IN CUSTOM COLORS AND CUSTOM HEIGHTS
 * - Blend of multiple colors
 ** - Minimum purchase requirements may apply
 *** - "XX" equals specified bollard height, pole height equals "XX" minus 14"



DRAWN	6/2/2020	Oberon, Inc. - 1315 S. Allen St. - State College, PA 16801		
CHECKED	6/2/2020	TITLE		
RLC	6/2/2020	3032 Series		
QA				
MFG	6/2/2020			
RLC	6/2/2020			
APPROVED	6/2/2020			
RLC	6/2/2020			
TOLERANCE:	.0 = +/- .030 .00 = +/- .015 .000 = +/- .005	SIZE	DWG NO	REV
		C	ANY	5
		SCALE	SHEET 2 OF 3	

Anchor Base And Brackets


Anchor Base




Right Angle Bracket



Cisco Mounting Bracket



Ø8.50 [Ø215.9] Bolt Circle



Ø5.00 [Ø127.0] Conduit Hole

INCLUDES:

- (1) Polyethylene Beveled Bollard
- (1) WiFi Decal
- (1) 1.25" DIA Equipment Pole
- (1) 1.25" DIA Pole Fitting
- (1) Cisco Mounting Plate
- (1) Right Angle Bracket
- (1) 5/32" Hex Pin in Bit
- (2) 5/16"-18 Thread, 1-7/16" ID U-Bolt
- (4) 1/4"-20 x 1/4" Pan Head Screw
- (3) 10-32 x 7/16" Flat Head Screw
- (4) 1/4"-20 x 3/4" Pin in Hex Screw
- (1) Snap-on Round Cap for 1/4" Screw
- (1) Installation Instruction

DRAWN	RLC	6/2/2020	Oberon, Inc. - 1315 S. Allen St. - State College, PA 16801		
CHECKED	RLC	6/2/2020	TITLE		
QA			3032 Series		
MFG	RLC	6/2/2020	SIZE	DWG NO	REV
APPROVED	RLC	6/2/2020	C	ANY	5
TOLERANCE:			SCALE	SHEET 3 OF 3	
.0 = +/- .030					
.00 = +/- .015					
.000 = +/- .005					